

Price List

Version:2017 | 1

Simplify Life

TOLL FREE No.: 1800 103 1202




PHONAK
life is on

Belong Platform

| | Product | Features | Type | Battery Size | Channel | Gain | Fitting Range | Total Programs (Auto+Manual +Streaming) | Remote Compatibility | ComPilot II/ Air II & TV Link | Phonak CROS B | MRP ₹ |
|----------------|----------------|--|------|--------------|---------|--------------------------|------------------------------------|---|----------------------|-------------------------------|---------------|----------|
| PREMIUM CLASS | Bolero B90-M | AutoSense OS Premium, Adaptive auto StereoZoom, Speech in Car, EchoBlock, Speech in Wind, auto ZoomControl, SoundRecover2, UltraZoom Premium, Real Ear Sound, FlexControl, NoiseBlock Premium, WindBlock, FlexVolume, SoundRelax, WhistleBlock, DuoPhone, auto Acclimatization, Tinnitus Balance, Fully Wireless, IP68 | BTE | 312 | 20 | 68 | 0-90 | 7+5+4 | Y | Y | Y | 2,30,000 |
| | Bolero B90-P | | BTE | 13 | 20 | 71 | 10-110 | 7+5+4 | Y | Y | Y | 2,30,000 |
| | Bolero B90-SP | | BTE | 13 | 20 | 75 | 20-120 | 7+5+4 | Y | Y | Y | 2,30,000 |
| | Audéo B90-13 | | RIC | 13 | 20 | xS=56 xP=65 xUP=72 | xS=0-90 xP=30-100 xUP=50-100 | 7+5+4 | Y | Y | Y | 2,30,000 |
| | Audéo B90-312T | | RIC | 312 | 20 | | | 7+5+4 | Y | Y | Y | 2,30,000 |
| | Audéo B90-312 | | RIC | 312 | 20 | | | 7+5+4 | Y | Y | Y | 2,30,000 |
| | Audéo B90-10 | | RIC | 10 | 20 | xS=56 xP=65 | xS=0-90 xP=30-100 | 7+5+4 | Y | Y | Y | 2,30,000 |
| ADVANCED CLASS | Bolero B70-M | AutoSense OS Advanced, Adaptive StereoZoom, ZoomControl, SoundRecover2, UltraZoom Advanced, Real Ear Sound, FlexControl, NoiseBlock Advanced, WindBlock, FlexVolume, SoundRelax, WhistleBlock, DuoPhone, auto Acclimatization, Tinnitus Balance, Fully Wireless, IP68 | BTE | 312 | 16 | 68 | 0-90 | 4+5+4 | Y | Y | Y | 1,10,000 |
| | Bolero B70-P | | BTE | 13 | 16 | 71 | 10-110 | 4+5+4 | Y | Y | Y | 1,10,000 |
| | Bolero B70-SP | | BTE | 13 | 16 | 75 | 20-120 | 4+5+4 | Y | Y | Y | 1,10,000 |
| | Audéo B70-13 | | RIC | 13 | 16 | xs=56 xP=65 xUP=72 | xS=0-90 xP=30-100 xUP=50-100 | 4+5+4 | Y | Y | Y | 1,10,000 |
| | Audéo B70-312T | | RIC | 312 | 16 | | | 4+5+4 | Y | Y | Y | 1,10,000 |
| | Audéo B70-312 | | RIC | 312 | 16 | | | 4+5+4 | Y | Y | Y | 1,10,000 |
| | Audéo B70-10 | | RIC | 10 | 16 | xS=56 xP=65 | xS=0-90 xP=30-100 | 4+5+4 | Y | Y | Y | 1,10,000 |

| | Product | Features | Type | Battery Size | Channel | Gain | Fitting Range | Total Programs (Auto+Manul+Streaming) | Remote Compatibility | Compilot II/ Air II & TV Link | Phonak CROS B | MRP ₹ |
|-----------------|----------------|--|------|--------------|---------|--------------------------|------------------------------------|---------------------------------------|----------------------|-------------------------------|---------------|--------|
| STANDARD CLASS | Bolero B50-M | AutoSense OS Standard, SoundRecover2, UltraZoom Standard, Real Ear Sound, FlexControl, NoiseBlock Standard, FlexVolume, WhistleBlock, DuoPhone, auto Acclimatization, Tinnitus Balance, Fully Wireless, IP68 | BTE | 312 | 12 | 68 | 0-90 | 3+5+4 | Y | Y | Y | 68,000 |
| | Bolero B50-P | | BTE | 13 | 12 | 71 | 10-110 | 3+5+4 | Y | Y | Y | 68,000 |
| | Bolero B50-SP | | BTE | 13 | 12 | 75 | 20-120 | 3+5+4 | Y | Y | Y | 68,000 |
| | Audéo B50-13 | | RIC | 13 | 12 | xS=56 xP=65 xUP=72 | xS=0-90 xP=30-100 xUP=50-100 | 3+5+4 | Y | Y | Y | 52,000 |
| | Audéo B50-312T | | RIC | 312 | 12 | | | 3+5+4 | Y | Y | Y | 52,000 |
| | Audéo B50-312 | | RIC | 312 | 12 | | | 3+5+4 | Y | Y | Y | 52,000 |
| | Audéo B50-10 | | RIC | 10 | 12 | | | xS=56 xP=65 | xS=0-90 xP=30-100 | 3+5+4 | Y | Y |
| ESSENTIAL CLASS | Bolero B30-M | AutoSense OS Essential, SoundRecover2, UltraZoom Essential, NoiseBlock Essential, WhistleBlock, auto Acclimatization, Tinnitus Balance, Fully Wireless, IP68 | BTE | 312 | 8 | 68 | 0-90 | 2+5+4 | Y | Y | Y | 42,000 |
| | Bolero B30-P | | BTE | 13 | 8 | 71 | 10-110 | 2+5+4 | Y | Y | Y | 42,000 |
| | Bolero B30-SP | | BTE | 13 | 8 | 75 | 20-120 | 2+5+4 | Y | Y | Y | 42,000 |
| | Audéo B30-13 | | RIC | 13 | 8 | xS=56 xP=65 xUP=72 | xS=0-90 xP=30-100 xUP=50-100 | 2+5+4 | Y | Y | Y | 42,000 |
| | Audéo B30-312T | | RIC | 312 | 8 | | | 2+5+4 | Y | Y | Y | 42,000 |
| | Audéo B30-312 | | RIC | 312 | 8 | | | 2+5+4 | Y | Y | Y | 42,000 |
| | Audéo B30-10 | | RIC | 10 | 8 | | | xS=56 xP=65 | xS=0-90 xP=30-100 | 2+5+4 | Y | Y |

| | Product | Features | Type | Channel | Gain | Fitting Range | Total Programs (Auto + Manual + Streaming) | Remote Compatibility | Compat. w/ Air II & TV Link | Phonak CROS B | MRP ₹ |
|----------------|---------------------------------|---|------|---------|--------------------------|------------------------------------|--|----------------------|-----------------------------|---------------|----------|
| PREMIUM CLASS | Bolero B90-PR with Mini Charger | AutoSense OS Premium, Adaptive auto StereoZoom, Speech in Car, EchoBlock, Speech in Wind, auto ZoomControl, SoundRecover2, UltraZoom Premium, Real Ear Sound, FlexControl, NoiseBlock Premium, WindBlock, FlexVolume, SoundRelax, WhistleBlock, DuoPhone, auto Acclimatization, Tinnitus Balance, Fully Wireless, IP68, Rechargeable, Indicator Light | BTE | 20 | 71 | 10 - 110 | 7+5+4 | Y | Y | N | 2,60,000 |
| | Audéo B90-R with Mini Charger | | RIC | 20 | xS=56 xP=65 xUP=72 | xS=0-90 xP=30-100 xSP=50-100 | 7+5+4 | Y | Y | N | 2,60,000 |
| ADVANCED CLASS | Bolero B70-PR with Mini Charger | AutoSense OS Advanced, Adaptive StereoZoom, ZoomControl, SoundRecover2, UltraZoom Advanced, Real Ear Sound, FlexControl, NoiseBlock Advanced, WindBlock, FlexVolume, SoundRelax, WhistleBlock, DuoPhone, auto Acclimatization, Tinnitus Balance, Fully Wireless, IP68, Rechargeable, Indicator Light | BTE | 16 | 71 | 10 - 110 | 4+5+4 | Y | Y | N | 1,30,000 |
| | Audéo B70-R with Mini Charger | | RIC | 16 | xS=56 xP=65 xUP=72 | xS=0-90 xP=30-100 xSP=50-100 | 4+5+4 | Y | Y | N | 1,30,000 |
| STANDARD CLASS | Bolero B50-PR with Mini Charger | AutoSense OS Standard, SoundRecover2, UltraZoom Standard, Real Ear Sound, FlexControl, NoiseBlock Standard, FlexVolume, WhistleBlock, DuoPhone, auto Acclimatization, Tinnitus Balance, Fully Wireless, IP68, Rechargeable, Indicator Light | BTE | 12 | 71 | 10 - 110 | 3+5+4 | Y | Y | N | 75,000 |
| | Audéo B50-R with Mini Charger | | RIC | 12 | xS=56 xP=65 xUP=72 | xS=0-90 xP=30-100 xSP=50-100 | 3+5+4 | Y | Y | N | 62,000 |

| Product Name | Product Picture | Product Description | MRP ₹ |
|---------------------|---|---|--------|
| Phonak Mini Charger |  | The Phonak Mini Charger is a compact charger for two Bolero B-PR / Audéo B-R hearing aids | 5,000 |
| Phonak Power Pack |  | For charging Phonak Bolero B-PR and Audéo B-R on the go, the Phonak Power Pack can be easily attached to the bottom of the Phonak Charger Case. It provides power for 7 full charges of two Bolero B-PR / Audéo B-R hearing aids. | 5,000 |
| Phonak Charger Case |  | The Phonak Charger Case is a charger, drying kit and protective hard case all in one. Additionally, it includes a cleaning tool in the robust and splash-proof housing designed for two Bolero B-PR / Audéo B-R hearing aids. | 10,000 |

Venture Platform

| Product | Features | Type | Battery Size | Channel | Gain | Fitting Range | Total Programs (Auto+Manual+Streaming) | Remote Compatibility | Bluetooth & TV Link | Phonak CROS II | MRP ₹ |
|-------------------|---|------|--------------|---------|--------------------------------|--|--|----------------------|---------------------|----------------|----------|
| Virto V90-10 | AutoSense OS Premium, Adaptive auto StereoZoom, Speech in Car, EchoBlock, Speech in Wind, auto ZoomControl, SoundRecover, UltraZoom Premium, FlexControl, NoiseBlock Premium, WindBlock, FlexVolume, SoundRelax, WhistleBlock, DuoPhone, auto Acclimatization, Tinnitus Balance noise generator, Fully Wireless, AOV | CIC | 10 | 20 | M=50 P=60 SP=70 | M=0-90 P=10-100 SP=20-100 | 7+5+4 | Y | Y | Y | 2,30,000 |
| Virto V90-10 O | AutoSense OS Premium, Speech in Car, EchoBlock, SoundRecover, FlexControl, NoiseBlock Premium, WindBlock, FlexVolume, SoundRelax, WhistleBlock, auto Acclimatization, Tinnitus Balance noise generator, Fully Wireless, AOV | CIC | 10 | 20 | M=50 P=60 SP=70 | M=0-90 P=10-100 SP=20-100 | 6+5+4 | Y | Y | N | 2,30,000 |
| Virto V90-nano | Invisible, AutoSense OS Premium, Speech in Car, EchoBlock, SoundRecover, FlexControl, NoiseBlock Premium, WindBlock, FlexVolume, SoundRelax, WhistleBlock, auto Acclimatization, Tinnitus Balance noise generator, AOV | IIC | 10 | 20 | M=50 | M=0-90 | 5+5+0 | Y* | N | N | 2,30,000 |
| Virto V90-10 NW O | AutoSense OS Premium, Speech in Car, EchoBlock, SoundRecover, FlexControl, NoiseBlock Premium, WindBlock, FlexVolume, SoundRelax, WhistleBlock, auto Acclimatization, Tinnitus Balance noise generator, AOV | CIC | 10 | 20 | M=50 P=60 SP=70 | M=0-90 P=10-100 SP=20-100 | 6+5+0 | N | N | N | 2,20,000 |
| Virto V90-312 | AutoSense OS Premium , Adaptive auto StereoZoom, Speech in Car, EchoBlock, Speech in Wind, auto ZoomControl, SoundRecover, UltraZoom Premium, FlexControl, NoiseBlock Premium, WindBlock, FlexVolume, SoundRelax, WhistleBlock, DuoPhone, auto Acclimatization, Tinnitus Balance noise generator, Fully Wireless, AOV | ITC | 312 | 20 | M=50 P=60 SP=70 UP=78 | M=0-90 P=10-100 SP=20-100 UP=20-110 | 7+5+4 | Y | Y | Y | 2,20,000 |
| Bolero V90-M | AutoSense OS Premium, Adaptive auto StereoZoom, Speech in Car, EchoBlock, Speech in Wind, auto ZoomControl, SoundRecover, UltraZoom Premium, Real Ear Sound, FlexControl, NoiseBlock Premium, WindBlock, FlexVolume, SoundRelax, WhistleBlock, DuoPhone, auto Acclimatization, Tinnitus Balance noise generator, Fully Wireless, IP67 | BTE | 312 | 20 | 68 | 0-95 | 7+5+4 | Y | Y | Y | 2,20,000 |
| Bolero V90-P | AutoSense OS Premium, Adaptive auto StereoZoom, Speech in Car, EchoBlock, Speech in Wind, auto ZoomControl, SoundRecover, UltraZoom Premium, Real Ear Sound, FlexControl, NoiseBlock Premium, WindBlock, FlexVolume, SoundRelax, WhistleBlock, DuoPhone, auto Acclimatization, Tinnitus Balance noise generator, Fully Wireless, IP67 | BTE | 13 | 20 | 71 | 10-110 | 7+5+4 | Y | Y | Y | 2,20,000 |
| Bolero V90-SP | AutoSense OS Premium, Adaptive auto StereoZoom, Speech in Car, EchoBlock, Speech in Wind, auto ZoomControl, SoundRecover, UltraZoom Premium, Real Ear Sound, FlexControl, NoiseBlock Premium, WindBlock, FlexVolume, SoundRelax, WhistleBlock, DuoPhone, auto Acclimatization, Tinnitus Balance noise generator, Fully Wireless, IP67 | BTE | 13 | 20 | 75 | 20-120 | 7+5+4 | Y | Y | Y | 2,20,000 |
| Naida V90-RIC | AutoSense OS Premium, Adaptive auto StereoZoom, Speech in Car, EchoBlock, Speech in Wind, auto ZoomControl, SoundRecover2, UltraZoom Premium, Real Ear Sound, FlexControl, NoiseBlock Premium, WindBlock, FlexVolume, SoundRelax, WhistleBlock, DuoPhone, auto Acclimatization, Tinnitus Balance noise generator, Fully Wireless, Roger Ready, BroadbandBooster, IP68 | RIC | 13 | 20 | xS=56 xP=65 xUP=72 | xS=0-90 xP=30-100 xUP=50-105 | 7+5+4 | Y | Y | Y | 2,20,000 |
| Naida V90-SP | AutoSense OS Premium, Adaptive auto StereoZoom, Speech in Car, EchoBlock, Speech in Wind, auto ZoomControl, SoundRecover, UltraZoom Premium, Real Ear Sound, FlexControl, NoiseBlock Premium, WindBlock, FlexVolume, SoundRelax, WhistleBlock, DuoPhone, auto Acclimatization, Tinnitus Balance noise generator, Fully Wireless, Roger Ready, BroadbandBooster, IP68 | BTE | 13 | 20 | 83 | 10-120 | 7+5+4 | Y | Y | Y | 2,20,000 |
| Naida V90-UP | AutoSense OS Premium, Adaptive auto StereoZoom, Speech in Car, EchoBlock, Speech in Wind, auto ZoomControl, SoundRecover, UltraZoom Premium, Real Ear Sound, FlexControl, NoiseBlock Premium, WindBlock, FlexVolume, SoundRelax, WhistleBlock, DuoPhone, auto Acclimatization, Tinnitus Balance noise generator, Fully Wireless, Roger Ready, BroadbandBooster, IP68 | BTE | 675 | 20 | 85 | 30-120 | 7+5+4 | Y | Y | Y | 2,20,000 |
| Audéo V90-10 | AutoSense OS Premium, Adaptive auto StereoZoom, Speech in Car, EchoBlock, Speech in Wind, auto ZoomControl, SoundRecover, UltraZoom Premium, Real Ear Sound, FlexControl, NoiseBlock Premium, WindBlock, FlexVolume, SoundRelax, WhistleBlock, DuoPhone, auto Acclimatization, Tinnitus Balance noise generator, Fully Wireless, IP57 | RIC | 10 | 20 | xS=56 xP=65 | xS=0-90 xP=30-100 | 7+5+4 | Y | Y | Y | 2,20,000 |
| Audéo V90-312 | AutoSense OS Premium, Adaptive auto StereoZoom, Speech in Car, EchoBlock, Speech in Wind, auto ZoomControl, SoundRecover, UltraZoom Premium, Real Ear Sound, FlexControl, NoiseBlock Premium, WindBlock, FlexVolume, SoundRelax, WhistleBlock, DuoPhone, auto Acclimatization, Tinnitus Balance noise generator, Fully Wireless, IP57 | RIC | 312 | 20 | | | 7+5+4 | Y | Y | Y | 2,20,000 |
| Audéo V90-312T | AutoSense OS Premium, Adaptive auto StereoZoom, Speech in Car, EchoBlock, Speech in Wind, auto ZoomControl, SoundRecover, UltraZoom Premium, Real Ear Sound, FlexControl, NoiseBlock Premium, WindBlock, FlexVolume, SoundRelax, WhistleBlock, DuoPhone, auto Acclimatization, Tinnitus Balance noise generator, Fully Wireless, IP57 | RIC | 312 | 20 | xS=56 xP=65 xSP=72 | xS=0-90 xP=30-100 xSP=50-100 | 7+5+4 | Y | Y | Y | 2,20,000 |
| Audéo V90-13** | AutoSense OS Premium, Adaptive auto StereoZoom, Speech in Car, EchoBlock, Speech in Wind, auto ZoomControl, SoundRecover, UltraZoom Premium, Real Ear Sound, FlexControl, NoiseBlock Premium, WindBlock, FlexVolume, SoundRelax, WhistleBlock, DuoPhone, auto Acclimatization, Tinnitus Balance noise generator, Fully Wireless, IP57 | RIC | 13 | 20 | | | 7+5+4 | Y | Y | Y | 2,20,000 |

PREMIUM CLASS

| Product | Features | Type | Battery Size | Channel | Gain | Fitting Range | Total Programs (Auto+Manual+Streaming) | Remote Compatibility | Bluetooth & TV Link | Phonak CROS II | MRP ₹ |
|-------------------|--|------|--------------|---------|--------------------------------|--|--|----------------------|---------------------|----------------|----------|
| Virto V70-10 | AutoSense OS Advanced, Adaptive StereoZoom, ZoomControl, SoundRecover, UltraZoom Advanced, FlexControl, NoiseBlock Advanced, WindBlock, FlexVolume, SoundRelax, WhistleBlock, DuoPhone, auto Acclimatization, Tinnitus Balance noise generator, Fully Wireless, AOV | CIC | 10 | 16 | M=50 P=60 SP=70 | M= 0-90 P=10-100 SP=20-100 | 4+4+4 | Y | Y | Y | 1,05,000 |
| Virto V70-10 O | AutoSense OS Advanced, SoundRecover, Flex Control, NoiseBlock Advanced, WindBlock, FlexVolume, SoundRelax, WhistleBlock, auto Acclimatization, Tinnitus Balance noise generator, Fully Wireless, AOV | CIC | 10 | 16 | M=50 P=60 SP=70 | M=0-90 P=10-100 SP=20-100 | 4+4+4 | Y | Y | N | 1,05,000 |
| Virto V70-nano | Invisible, AutoSense OS Advanced, SoundRecover, FlexControl, NoiseBlock Advanced, WindBlock, FlexVolume, SoundRelax, WhistleBlock, auto Acclimatization, Tinnitus Balance noise generator, Non Wireless, AOV | IIC | 10 | 16 | M=50 | M=0-90 | 4+4+0 | Y* | N | N | 1,05,000 |
| Virto V70-10 NW O | AutoSense OS Advanced, SoundRecover, Flex Control, NoiseBlock Advanced, WindBlock, FlexVolume, SoundRelax, WhistleBlock, auto Acclimatization, Tinnitus Balance noise generator, Non Wireless, AOV | CIC | 10 | 16 | M=50 P=60 SP=70 | M=0-90 P=10-100 SP=20-100 | 4+4+0 | N | N | N | 1,00,000 |
| Virto V70-312 | AutoSense OS Advanced, Adaptive StereoZoom, ZoomControl, SoundRecover, UltraZoom Advanced, FlexControl, NoiseBlock Advanced, WindBlock, FlexVolume, SoundRelax, WhistleBlock, DuoPhone, auto Acclimatization, Tinnitus Balance noise generator, Fully Wireless, AOV | ITC | 312 | 16 | M=50 P=60 SP=70 UP=78 | M=0-90 P=10-100 SP=20-100 UP=20-110 | 4+4+4 | Y | Y | Y | 1,00,000 |
| Bolero V70-M | AutoSense OS Advanced, Adaptive StereoZoom, ZoomControl, SoundRecover, UltraZoom Advanced, Real Ear Sound, FlexControl, NoiseBlock Advanced, WindBlock, FlexVolume, SoundRelax, WhistleBlock, DuoPhone, auto Acclimatization, Tinnitus Balance noise generator, Fully Wireless, IP67 | BTE | 312 | 16 | 68 | 0-95 | 4+4+4 | Y | Y | Y | 1,00,000 |
| Bolero V70-P | AutoSense OS Advanced, Adaptive StereoZoom, ZoomControl, SoundRecover, UltraZoom Advanced, Real Ear Sound, FlexControl, NoiseBlock Advanced, WindBlock, FlexVolume, SoundRelax, WhistleBlock, DuoPhone, auto Acclimatization, Tinnitus Balance noise generator, Fully Wireless, IP67 | BTE | 13 | 16 | 71 | 10-110 | 4+4+4 | Y | Y | Y | 1,00,000 |
| Bolero V70-SP | AutoSense OS Advanced, Adaptive StereoZoom, ZoomControl, SoundRecover, UltraZoom Advanced, Real Ear Sound, FlexControl, NoiseBlock Advanced, WindBlock, FlexVolume, SoundRelax, WhistleBlock, DuoPhone, auto Acclimatization, Tinnitus Balance noise generator, Fully Wireless, IP67 | BTE | 13 | 16 | 75 | 20-120 | 4+4+4 | Y | Y | Y | 1,00,000 |
| Naida V70-RIC | AutoSense OS Advanced, Adaptive StereoZoom, ZoomControl, SoundRecover2, UltraZoom Advanced, Real Ear Sound, FlexControl, NoiseBlock Advanced, WindBlock, FlexVolume, SoundRelax, WhistleBlock, DuoPhone, auto Acclimatization, Tinnitus Balance noise generator, Fully Wireless, Roger Ready, BroadbandBooster, IP68 | RIC | 13 | 16 | xS=56 xP=65 xUP=72 | xS= 0-90 xP=30-100 xUP=50-105 | 4+4+4 | Y | Y | Y | 1,00,000 |
| Naida V70-SP | AutoSense OS Advanced, Adaptive StereoZoom, ZoomControl, SoundRecover2, UltraZoom Advanced, Real Ear Sound, FlexControl, NoiseBlock Advanced, WindBlock, FlexVolume, SoundRelax, WhistleBlock, DuoPhone, auto Acclimatization, Tinnitus Balance noise generator, Fully Wireless, Roger Ready, BroadbandBooster, IP68 | BTE | 13 | 16 | 83 | 10-120 | 4+4+4 | Y | Y | Y | 1,00,000 |
| Naida V70-UP | AutoSense OS Advanced, Adaptive StereoZoom, ZoomControl, SoundRecover2, UltraZoom Advanced, Real Ear Sound, FlexControl, NoiseBlock Advanced, WindBlock, FlexVolume, SoundRelax, WhistleBlock, DuoPhone, auto Acclimatization, Tinnitus Balance noise generator, Fully Wireless, Roger Ready, BroadbandBooster, IP68 | BTE | 675 | 16 | 85 | 30-120 | 4+4+4 | Y | Y | Y | 1,00,000 |
| Audéo V70-10 | AutoSense OS Advanced, Adaptive StereoZoom, ZoomControl, SoundRecover, UltraZoom Advanced, Real Ear Sound, FlexControl, NoiseBlock Advanced, WindBlock, FlexVolume, SoundRelax, WhistleBlock, DuoPhone, auto Acclimatization, Tinnitus Balance noise generator, Fully Wireless, IP57 | RIC | 10 | 16 | xS=56 xP=65 | xS=0-90 xP=30-100 | 4+4+4 | Y | Y | Y | 1,00,000 |
| Audéo V70-312 | AutoSense OS Advanced, Adaptive StereoZoom, ZoomControl, SoundRecover, UltraZoom Advanced, Real Ear Sound, FlexControl, NoiseBlock Advanced, WindBlock, FlexVolume, SoundRelax, WhistleBlock, DuoPhone, auto Acclimatization, Tinnitus Balance noise generator, Fully Wireless, IP57 | RIC | 312 | 16 | | | 4+4+4 | Y | Y | Y | 1,00,000 |
| Audéo V70-312T | AutoSense OS Advanced, Adaptive StereoZoom, ZoomControl, SoundRecover, UltraZoom Advanced, Real Ear Sound, FlexControl, NoiseBlock Advanced, WindBlock, FlexVolume, SoundRelax, WhistleBlock, DuoPhone, auto Acclimatization, Tinnitus Balance noise generator, Fully Wireless, IP57 | RIC | 312 | 16 | xS=56 xP=65 xSP=72 | xS=0-90 xP=30-100 xSP=50-100 | 4+4+4 | Y | Y | Y | 1,00,000 |
| Audéo V70-13** | AutoSense OS Advanced, Adaptive StereoZoom, ZoomControl, SoundRecover, UltraZoom Advanced, Real Ear Sound, FlexControl, NoiseBlock Advanced, WindBlock, FlexVolume, SoundRelax, WhistleBlock, DuoPhone, auto Acclimatization, Tinnitus Balance noise generator, Fully Wireless, IP57 | RIC | 13 | 16 | | | 4+4+4 | Y | Y | Y | 1,00,000 |

| Product | Features | Type | Battery Size | Channel | Gain | Fitting Range | Total Programs (Auto+Manual+Streaming) | Remote Compatibility | Bluetooth & TV Link | Phonak CROS II | MRP ₹ |
|-------------------|--|------|--------------|---------|--------------------------------|--|--|----------------------|---------------------|----------------|--------|
| Virto V50-10 | AutoSense OS Standard, SoundRecover, UltraZoom Standard, FlexControl, NoiseBlock Standard, FlexVolume, WhistleBlock, DuoPhone, auto Acclimatization, Tinnitus Balance noise generator, Fully Wireless, AOV | CIC | 10 | 12 | M=50 P=60 SP=70 | M=0-90 P=10-100 SP=20-100 | 3+3+3 | Y | Y | Y | 75,000 |
| Virto V50-10 O | AutoSense OS Standard, SoundRecover, FlexControl, NoiseBlock Standard, FlexVolume, WhistleBlock, auto Acclimatization, Tinnitus Balance noise generator, Fully Wireless, AOV | CIC | 10 | 12 | M=50 P=60 SP=70 | M=0-90 P=10-100 SP=20-100 | 3+3+3 | Y | Y | N | 75,000 |
| Virto V50-nano | Invisible, AutoSense OS Standard, SoundRecover, FlexControl, NoiseBlock Standard, FlexVolume, WhistleBlock, auto Acclimatization, Tinnitus Balance noise generator, Non Wireless, AOV | IIC | 10 | 12 | M=50 | 0-90 | 3+3+0 | Y* | N | N | 75,000 |
| Virto V50-10 NW O | AutoSense OS Standard, SoundRecover, FlexControl, NoiseBlock Standard, FlexVolume, WhistleBlock, auto Acclimatization, Tinnitus Balance noise generator, Non Wireless, AOV | CIC | 10 | 12 | M=50 P=60 SP=70 | M=0-90 P=10-100 SP=20-100 | 3+3+0 | N | N | N | 68,000 |
| Virto V50-312 | AutoSense OS Standard, Adaptive StereoZoom, ZoomControl, SoundRecover, UltraZoom Standard, FlexControl, NoiseBlock Standard, FlexVolume, WhistleBlock, DuoPhone, auto Acclimatization, Tinnitus Balance noise generator, Fully Wireless, AOV | ITC | 312 | 12 | M=50 P=60 SP=70 UP=78 | M=0-90 P=10-100 SP=20-100 UP=20-110 | 3+3+3 | Y | Y | Y | 68,000 |
| Bolero V50-M | AutoSense OS Advanced, Adaptive StereoZoom, ZoomControl, SoundRecover, UltraZoom Advanced, Real Ear Sound, FlexControl, NoiseBlock Advanced, WindBlock, FlexVolume, SoundRelax, WhistleBlock, DuoPhone, auto Acclimatization, Tinnitus Balance noise generator, Fully Wireless, IP67 | BTE | 312 | 12 | 68 | 0-95 | 3+3+3 | Y | Y | Y | 63,000 |
| Bolero V50-P | | BTE | 13 | 12 | 71 | 10-110 | 3+3+3 | Y | Y | Y | 63,000 |
| Bolero V50-SP | | BTE | 13 | 12 | 75 | 20-120 | 3+3+3 | Y | Y | Y | 63,000 |
| Náida V50-RIC | AutoSense OS Standard, SoundRecover2, UltraZoom Standard, Real Ear Sound, FlexControl, NoiseBlock Standard, FlexVolume, WhistleBlock, DuoPhone, auto Acclimatization, Tinnitus Balance noise generator, Fully Wireless, Roger Ready, BroadbandBooster, IP68 | RIC | 13 | 12 | xS=56 xP=65 xUP=72 | xS=0-90 xP=30-100 xUP=50-105 | 3+3+3 | Y | Y | Y | 63,000 |
| Náida V50-SP | | BTE | 13 | 12 | 83 | 10-120 | 3+3+3 | Y | Y | Y | 63,000 |
| Náida V50-UP | | BTE | 675 | 12 | 85 | 30-120 | 3+3+3 | Y | Y | Y | 63,000 |
| Audéo V50-10 | AutoSense OS Standard, SoundRecover, UltraZoom Standard, Real Ear Sound, FlexControl, NoiseBlock Standard, FlexVolume, WhistleBlock, DuoPhone, auto Acclimatization, Tinnitus Balance noise generator, Fully Wireless, IP57 | RIC | 10 | 12 | xS=56 xP=65 | xS=0-90 xP=30-100 | 3+3+3 | Y | Y | Y | 50,000 |
| Audéo V50-312 | | RIC | 312 | 12 | | | 3+3+3 | Y | Y | Y | 50,000 |
| Audéo V50-312T | | RIC | 312 | 12 | xS=56 xP=65 xSP=72 | xS=0-90 xP=30-100 xSP=50-100 | 3+3+3 | Y | Y | Y | 50,000 |
| Audéo V50-13** | | RIC | 13 | 12 | | | 3+3+3 | Y | Y | Y | 50,000 |

| Product | Features | Type | Battery Size | Channel | Gain | Fitting Range | Total Programs (Auto+Manual+Streaming) | Remote Compatibility | Bluetooth & TV Link | Phonak CROS II | MRP ₹ |
|-------------------|--|------|--------------|---------|--------------------------------|--|--|----------------------|---------------------|----------------|--------|
| Virto V30-10 | AutoSense OS Essential, SoundRecover, UltraZoom Essential, NoiseBlock Essential, WhistleBlock, auto Acclimatization, Tinnitus Balance noise generator, Fully Wireless, AOV | CIC | 10 | 8 | M=50 P=60 SP=70 | M= 0-90 P=10-100 SP= 20-100 | 2+2+3 | Y | Y | Y | 42,000 |
| Virto V30-10 O | AutoSense OS Essential, SoundRecover, NoiseBlock Essential, WhistleBlock, auto Acclimatization, Tinnitus Balance noise generator, Fully Wireless, AOV | CIC | 10 | 8 | M=50 P=60 SP=70 | M=0-90 P=10-100 SP=20-100 | 2+2+3 | Y | Y | N | 42,000 |
| Virto V30-10 NW O | AutoSense OS Essential, SoundRecover, NoiseBlock Essential, WhistleBlock, auto Acclimatization, Tinnitus Balance noise generator, AOV | CIC | 10 | 8 | M=50 P=60 SP=70 | M=0-90 P=10-100 SP=20-100 | 2+2+0 | N | N | N | 40,000 |
| Virto V30-312 | AutoSense OS Essential, SoundRecover, UltraZoom Essential, NoiseBlock Essential, WhistleBlock, auto Acclimatization, Tinnitus Balance noise generator, Fully Wireless, AOV | ITC | 312 | 8 | M=50 P=60 SP=70 UP=78 | M=0-90 P=10-100 SP=20-100 UP=20-110 | 2+2+3 | Y | Y | Y | 40,000 |
| Bolero V30-M | AutoSense OS Essential, SoundRecover, UltraZoom Essential, NoiseBlock Essential, WhistleBlock, auto Acclimatization, Tinnitus Balance noise generator, Fully Wireless, IP67 | BTE | 312 | 8 | 68 | 0-95 | 2+2+3 | Y | Y | Y | 40,000 |
| Bolero V30-P | | BTE | 13 | 8 | 71 | 10-110 | 2+2+3 | Y | Y | Y | 40,000 |
| Bolero V30-SP | | BTE | 13 | 8 | 75 | 20-120 | 2+2+3 | Y | Y | Y | 40,000 |
| Audéo V30-10 | AutoSense OS Essential, SoundRecover, UltraZoom Essential, NoiseBlock Essential, WhistleBlock, auto Acclimatization, Tinnitus Balance noise generator, Fully Wireless, IP57 | RIC | 10 | 8 | xS=56 xP=65 | xS=0-90 xP=30-100 | 2+2+3 | Y | Y | Y | 39,000 |
| Audéo V30-312 | | RIC | 312 | 8 | xS=56 xP=65 xSP=72 | xS=0-90 xP=30-100 xSP=50-100 | 2+2+3 | Y | Y | Y | 39,000 |
| Audéo V30-312T | | RIC | 312 | 8 | | | 2+2+3 | Y | Y | Y | 39,000 |
| Audéo V30-13** | | RIC | 13 | 8 | | | 2+2+3 | Y | Y | Y | 39,000 |
| Naida V30-RIC | AutoSense OS Essential, SoundRecover2, UltraZoom Essential, NoiseBlock Essential, WhistleBlock, auto Acclimatization, Tinnitus Balance noise generator, Fully Wireless, BroadbandBooster, IP68 | RIC | 13 | 8 | xS=56 xP=65 xUP=72 | xS=0-90 xP=30-100 xUP=50-105 | 2+2+3 | Y | Y | Y | 38,000 |
| Naida V30-SP | | BTE | 13 | 8 | 83 | 10-120 | 2+2+3 | Y | Y | Y | 38,000 |
| Naida V30-UP | | BTE | 675 | 8 | 85 | 30-120 | 2+2+3 | Y | Y | Y | 38,000 |

* Only MiniControl remote is compatible with Nano.

* Audéo V-13 is water & dust resistant (IP67).

ESSENTIAL CLASS

| Product | Features | Type | Battery Size | Channel | Gain | Fitting Range | Total Programs (Auto+Manual+Streaming) | Remote Compatibility | Bluetooth & TVLink | Phonak CROS II | MRP ₹ | |
|-----------------|-------------|---|--------------|---------|------|-----------------------------|--|----------------------|--------------------|----------------|-------|----------|
| PREMIUM CLASS | Sky V90-RIC | AutoSense Sky OS Premium, Adaptive auto StereoZoom, Speech in Car, EchoBlock, Speech in Wind, auto ZoomControl, SoundRecover2, UltraZoom Premium, Real Ear Sound, FlexControl, NoiseBlock Premium, WindBlock, FlexVolume, SoundRelax, WhistleBlock, DuoPhone, auto Acclimatization, Fully Wireless, Roger Ready, Roger and directional setting, Indicator Light, IP68 | RIC | 13 | 20 | xS=56 xP=65 xUP=72 | xS=0-90 xP=30-100 xUP=50-105 | 7+5+4 | Y | Y | Y | 2,30,000 |
| | Sky V90-M | | BTE | 312 | 20 | 68 | 0-95 | 7+5+4 | Y | Y | Y | 2,30,000 |
| | Sky V90-P | | BTE | 13 | 20 | 71 | 10-110 | 7+5+4 | Y | Y | Y | 2,30,000 |
| | Sky V90-SP | | BTE | 13 | 20 | 83 | 10-120 | 7+5+4 | Y | Y | Y | 2,30,000 |
| | Sky V90-UP | | BTE | 675 | 20 | 85 | 30-120 | 7+5+4 | Y | Y | Y | 2,30,000 |
| ADVANCED CLASS | Sky V70-RIC | AutoSense Sky OS Advanced, Adaptive StereoZoom, ZoomControl, SoundRecover2, UltraZoom Advanced, Real Ear Sound, FlexControl, NoiseBlock Advanced, WindBlock, FlexVolume, SoundRelax, WhistleBlock, DuoPhone, auto Acclimatization, Fully Wireless, RogerReady, Roger and directional setting, Indicator Light, IP68 | RIC | 13 | 16 | xS=56 xP=65 xUP=72 | xS=0-90 xP=30-100 xUP=50-105 | 4+4+4 | Y | Y | Y | 1,05,000 |
| | Sky V70-M | | BTE | 312 | 16 | 68 | 0-95 | 4+4+4 | Y | Y | Y | 1,05,000 |
| | Sky V70-P | | BTE | 13 | 16 | 71 | 10-110 | 4+4+4 | Y | Y | Y | 1,05,000 |
| | Sky V70-SP | | BTE | 13 | 16 | 83 | 10-120 | 4+4+4 | Y | Y | Y | 1,05,000 |
| | Sky V70-UP | | BTE | 675 | 16 | 85 | 30-120 | 4+4+4 | Y | Y | Y | 1,05,000 |
| STANDARD CLASS | Sky V50-RIC | AutoSense Sky OS Standard, SoundRecover2, UltraZoom Standard, Real Ear Sound, FlexControl, NoiseBlock Standard, FlexVolume, WhistleBlock, DuoPhone, auto Acclimatization, Fully Wireless, Roger Ready, Roger and directional setting, Indicator Light, IP68 | RIC | 13 | 12 | xS=56 xP=65 xUP=72 | xS=0-90 xP=30-100 xUP=50-105 | 3+3+3 | Y | Y | Y | 65,000 |
| | Sky V50-M | | BTE | 312 | 12 | 68 | 0-95 | 3+3+3 | Y | Y | Y | 65,000 |
| | Sky V50-P | | BTE | 13 | 12 | 71 | 10-110 | 3+3+3 | Y | Y | Y | 65,000 |
| | Sky V50-SP | | BTE | 13 | 12 | 83 | 10-120 | 3+3+3 | Y | Y | Y | 65,000 |
| | Sky V50-UP | | BTE | 675 | 12 | 85 | 30-120 | 3+3+3 | Y | Y | Y | 65,000 |
| ESSENTIAL CLASS | Sky V30-RIC | AutoSense Sky OS Essential, SoundRecover2, UltraZoom Essential, NoiseBlock Essential, WhistleBlock, auto Acclimatization, Fully Wireless, Indicator Light, IP68 | RIC | 13 | 8 | xS= 56 xP= 65 xUP= 72 | xS= 0-90 xP= 30-100 xUP= 50-105 | 2+2+3 | Y | Y | Y | 40,000 |
| | Sky V30-M | | BTE | 312 | 8 | 68 | 0-95 | 2+2+3 | Y | Y | Y | 40,000 |
| | Sky V30-P | | BTE | 13 | 8 | 71 | 10-110 | 2+2+3 | Y | Y | Y | 40,000 |
| | Sky V30-SP | | BTE | 13 | 8 | 83 | 10-120 | 2+2+3 | Y | Y | Y | 40,000 |
| | Sky V30-UP | | BTE | 675 | 8 | 85 | 30-120 | 2+2+3 | Y | Y | Y | 40,000 |



Quest Platform

| Product | | Features | Type | Battery Size | Channel | Gain | Fitting Range | Total Programs (Auto+Manual+Streaming) | Remote Compatibility | Bluetooth & TVLink | Phonak CROS | MRP ₹ |
|-----------------|-----------------|---|------|--------------|---------|--------------------------------|---|--|----------------------|--------------------|-------------|--------|
| STANDARD CLASS | Virto Q50 -nano | Virtually Invisible, SoundFlow Standard, SoundRecover, NoiseBlock Standard, WhistleBlock, auto Acclimatization, Non Wireless, AOV | IIC | 10 | 12 | S = 46 M = 50 | 0-85 | 2+3+0 | Y* | N | N | 52,000 |
| | Virto Q50 -10 | SoundFlow Standard, SoundRecover, NoiseBlock Standard, WhistleBlock, auto Acclimatization, Non Wireless, AOV | CIC | 10 | 12 | M=50 P=60 SP=70 | M= 0-90 P= 10-100 SP=20-100 | 2+3+0 | Y | N | N | 49,000 |
| | Virto Q50 -312 | SoundFlow Standard, SoundRecover, UltraZoom Standard, NoiseBlock Standard, DuoPhone (with Bilateral fitting only), WhistleBlock, auto Acclimatization, Fully Wireless | ITC | 312 | 12 | M=50 P=60 SP=70 UP=79 | M= 0-90 P=10-100 SP=20-100 UP=20-110 | 2+3+3 | Y | Y | Y | 49,000 |
| | Bolero Q50-M13' | SoundFlow Standard, SoundRecover, UltraZoom Standard, NoiseBlock Standard, DuoPhone (with Bilateral fitting only), WhistleBlock, auto Acclimatization, Fully Wireless, IP57 | BTE | 13 | 12 | 67 | 0 - 95 | 2+3+3 | Y | Y | Y | 49,000 |
| | Bolero Q50-P | | BTE | 13 | 12 | 71 | 10 - 110 | 2+3+3 | Y | Y | Y | 49,000 |
| | Bolero Q50-SP | | BTE | 13 | 12 | 75 | 20 - 120 | 2+3+3 | Y | Y | Y | 49,000 |
| | Naida Q50-RIC | SoundFlow Standard, SoundRecover, UltraZoom Standard, NoiseBlock Standard, DuoPhone (with Bilateral fitting only), WhistleBlock, auto Acclimatization, Fully Wireless, IP67 | RIC | 13 | 12 | xS=56 xP=65 xSP=72 | xS=0-90 xP=30-100 xSP=50-105 | 2+3+3 | Y | Y | Y | 45,000 |
| | Naida Q50-SP | | BTE | 13 | 12 | 80 | 10 - 120 | 2+3+3 | Y | Y | Y | 45,000 |
| | Naida Q50-UP | | BTE | 675 | 12 | 85 | 30 - 120 | 2+3+3 | Y | Y | Y | 45,000 |
| | Audéo Q50-10** | SoundFlow Standard, SoundRecover, UltraZoom Standard, NoiseBlock Standard, DuoPhone (with Bilateral fitting only), WhistleBlock, auto Acclimatization, Tinnitus Balance noise generator, Fully Wireless, IP57 | RIC | 10 | 12 | xS=56 xP=65 xSP=69 | xS=0-90 xP=30-100 xSP=50-100 | 2+3+0 | N | N | N | 42,000 |
| | Audéo Q50-312 | | RIC | 312 | 12 | | | 2+3+3 | Y | Y | Y | 42,000 |
| | Audéo Q50-312T | | RIC | 312 | 12 | | | 2+3+3 | Y | Y | Y | 42,000 |
| ESSENTIAL CLASS | Virto Q30-10 | Everyday Automatic, SoundRecover, NoiseBlock Essential, WhistleBlock, auto Acclimatization, Non Wireless | CIC | 10 | 8 | M=50 P=60 SP=70 | M=0-90 P=10-100 SP=20-100 | 1+2+2 | Y | N | N | 29,000 |
| | Virto Q30-312 | Everyday Automatic, SoundRecover, UltraZoom Essential, NoiseBlock Essential, WhistleBlock, auto Acclimatization, Wireless Compatible | ITC | 312 | 8 | M=50 P=60 SP=70 UP=79 | M=0-90 P=10-100 SP=20-100 UP=20-110 | 1+2+2 | Y | Y | N | 29,000 |
| | Naida Q30-RIC | Everyday Automatic, SoundRecover, UltraZoom Essential, NoiseBlock Essential, WhistleBlock, auto Acclimatization, Wireless Compatible, IP67 | RIC | 13 | 8 | xS=56 xP=65 xSP=72 | xS=0-90 xP=30-100 xSP=50-105 | 1+2+2 | Y | Y | N | 27,000 |
| | Naida Q30-SP | | BTE | 13 | 8 | 80 | 10 - 120 | 1+2+2 | Y | Y | N | 27,000 |
| | Naida Q30-UP | | BTE | 675 | 8 | 85 | 30 - 120 | 1+2+2 | Y | Y | N | 27,000 |
| | Audéo Q30-10** | Everyday Automatic, SoundRecover, UltraZoom Essential, NoiseBlock Essential, WhistleBlock, auto Acclimatization, Tinnitus Balance noise generator, Wireless Compatible IP57 | RIC | 10 | 8 | xS=56 xP=65 xSP=69 | xS=0-90 xP=30-100 xSP=50-100 | 1+2+2 | N | N | N | 26,000 |
| | Audéo Q30-312 | | RIC | 312 | 8 | | | 1+2+2 | Y | Y | N | 26,000 |
| | Audéo Q30-312T | | RIC | 312 | 8 | | | 1+2+2 | Y | Y | N | 26,000 |
| | Bolero Q30-M13' | Everyday Automatic, SoundRecover, UltraZoom Essential, NoiseBlock Essential, WhistleBlock, auto Acclimatization, Wireless Compatible | BTE | 13 | 8 | 67 | 0 - 95 | 1+2+2 | Y | Y | N | 25,000 |
| | Bolero Q30-P | | BTE | 13 | 8 | 71 | 10 - 110 | 1+2+2 | Y | Y | N | 25,000 |
| | Bolero Q30-SP | | BTE | 13 | 8 | 75 | 20 - 120 | 1+2+2 | Y | Y | N | 25,000 |

| Product | | Features | Type | Battery Size | Channel | Gain | Fitting Range | Total Programs (Auto+Manual+Streaming) | Remote Compatibility | Bluetooth & TVLink | Phonak CROS | MRP ₹ |
|-------------|---|---|------|--------------|---------|--------------------------------|--|--|----------------------|--------------------|-------------|--------|
| BASIC CLASS | Baseo Q15-M | Fixed Directional, NoiseBlock, WhistleBlock, BassBoost, T-Coil, Datalogging, IP57 | BTE | 13 | 4 | 60 | 0-95 | 0+4+0 | N | N | N | 22,500 |
| | Baseo Q15-P | | BTE | 13 | 4 | 68 | 10-110 | 0+4+0 | N | N | N | 22,500 |
| | Baseo Q15-SP | | BTE | 13 | 4 | 73 | 20-120 | 0+4+0 | N | N | N | 22,500 |
| | Baseo Q15-UP | | BTE | 675 | 4 | 85 | 30-120 | 0+4+0 | N | N | N | 22,500 |
| | Tao Q15-10 | Omni Directional, NoiseBlock, WhistleBlock, BassBoost, T-Coil (optional), Datalogging | CIC | 10 | 4 | M=50 P=60 SP=70 | M=0-90 P=10-100 SP=20-100 | 0+4+0 | N | N | N | 22,500 |
| | Tao Q15-312 | Fixed Directional, NoiseBlock, WhistleBlock, BassBoost, T-Coil, Datalogging | ITC | 312 | 4 | M=50 P=60 SP=70 UP=79 | M=0-90 P=10-100 SP=20-100 UP=20-110 | 0+4+0 | N | N | N | 22,500 |
| | Baseo Q10-M | Fixed Directional, NoiseBlock, WhistleBlock, IP57 | BTE | 13 | 3 | 60 | 0-95 | 0+3+0 | N | N | N | 17,500 |
| | Baseo Q10-SP | | BTE | 13 | 3 | 73 | 20-120 | 0+3+0 | N | N | N | 17,500 |
| | Tao Q10-10 | Omni Directional, NoiseBlock, WhistleBlock | CIC | 10 | 3 | M=50 P=60 SP=70 | M=0-90 P=10-100 SP=20-100 | 0+3+0 | N | N | N | 17,500 |
| | Tao Q10-312 | Fixed Directional, NoiseBlock, WhistleBlock | ITC | 312 | 3 | M=50 P=60 SP=70 | M=0-90 P=10-100 SP=20-100 | 0+3+0 | N | N | N | 17,500 |
| Baseo Q5-M | Fixed Directional, NoiseBlock, WhistleBlock, IP57 | BTE | 13 | 2 | 60 | 0-95 | 0+2+0 | N | N | N | 10,900 | |
| Baseo Q5-SP | | BTE | 13 | 2 | 73 | 20-120 | 0+2+0 | N | N | N | 10,900 | |







* Only MiniControl remote is compatible with nano

** Audéo Q10 is non wireless & incompatible for voice streaming

Bolero Q-M13 are water & dust resistant (IP67).

| | | | | | |
|----------------------------------|------------------------------|--------------------------------|---|--|---|
| Behind the Ear (BTE hearing aid) | In The Ear (ITE hearing aid) | In The Canal (ITC hearing aid) | Completely in the Canal (CIC hearing aid) | Invisible in the Canal (IIC hearing aid) | Receiver in the Canal (RIC hearing aid) |
|----------------------------------|------------------------------|--------------------------------|---|--|---|

Roger
&
Digital
Wireless
Accessories

| Product Name | Product Picture | Product Description | MRP ₹ |
|--|---|---|--------|
| 1 No. Roger Inspiro |  | This wireless Teacher Microphone is the core component of any Roger system for education. It features 2 wearable microphone options, simplified menus and customizable soft keys. | 62,000 |
| 1 No. Roger Pen 1.1 |  | The inconspicuous Roger Pen with fully automated multiple microphone settings and Bluetooth connectivity enables young listeners to hear and understand in loud noise and over distance. | 45,000 |
| 1 No. Roger Clip-on Mic 1.1 |  | It is an easy to use wireless microphone for one-to-one communication in loud noise and over distance. | 35,000 |
| 1 No. Roger 14 (02) |  | The Roger receivers are designed with the same appealing aesthetics and smooth lines as Cochlear Implants. They are WaterResistant and tamper proof options are available. (02) receiver is compatible with Roger Inspiro. | 48,500 |
| 1 No. Roger 14 (03) | | | 35,000 |
| 1 No. Roger X / 10 / 11 / 15 / 16 / 18 / 19 - (02) |  | Roger X is a miniature universal Roger receiver that is compatible with virtually every hearing aid and cochlear implant speech processor in the market. The Roger Integrated receivers are designed with the same appealing aesthetics and smooth lines as Phonak Hearing Aids. They are WaterResistant when combined with Phonak Hearing Instruments plus tamper proof options are available. (02) receivers are compatible with Roger Inspiro. | 48,500 |
| 1 No. Roger X / 10 / 11 / 15 / 16 / 18 / 19 - (03) | | | 35,000 |
| 1 No. Roger MyLink 1.1 (02) |  | Roger MyLink is a universal inductive neck-loop receiver that can be connected with a Roger wireless microphone. It is compatible with all Hearing Instruments and Cochlear Implants that feature a Tele-coil. (02) receiver is compatible with Roger Inspiro | 48,500 |
| 1 No. Roger MyLink 1.1 (03) | | | 35,000 |

Combo Offers

| COMBO OFFER | MRP ₹ | COMBO OFFER | MRP ₹ |
|--|--------|--|--------|
| 1 Roger Pen 1.1 + 1 Roger Receiver (03) | 72,000 | 1 Roger Clip-on Mic 1.1 + 1 Roger Receiver (03) | 55,000 |
| 1 Roger Pen 1.1 + 2 Roger Receivers (03) | 99,000 | 1 Roger Clip-on Mic 1.1 + 2 Roger Receivers (03) | 85,000 |

- MRP of all Roger Instruments and Combos is inclusive of 6% VAT.
- All Roger Instruments & Combos carry One Year Warranty.

Compatibility of Design Integrated Receivers

Roger 10 (02) / (03)

Phonak Sky Q-UP

Phonak Naida Q-UP

Roger 11 (02) / (03)

Phonak Sky Q-SP

Phonak Naida Q-SP

Roger 14 (02) / (03)

Cochlear Nucleus 5 (CP810)

Cochlear Nucleus 6 (CP910)

Roger 15 (02) / (03)

Phonak Sky Q-RIC

Phonak Sky Q-M13

Phonak Naida Q-RIC

Phonak Bolero Q-M13

Roger 16 (02) / (03)

Phonak Bolero Q-P

Phonak Bolero Q-SP

Roger 19 (02) / (03)

Phonak Naida V-UP

Phonak Sky V-UP

Roger 18 (02) / (03)

Phonak Audéo V-13

Phonak Bolero V-P

Phonak Bolero V-SP

Phonak Naida V-RIC

Phonak Naida V-SP

Phonak Sky V-RIC

Phonak Sky V-P

Phonak Sky V-SP

Phonak Audéo B-13

Phonak Bolero B-P

Phonak Bolero B-SP

Roger Key Features

- Perfect mimicry: Many hearing impaired people do not want to show their deficits in understanding. The Roger Pen mimicry allows for use of the system very discretely. This reduces the barriers to use Roger in public.
- Fully automatic microphone mode selection: Based on acoustical analysis of the surroundings and on orientation data provided by a built-in accelerometer, the Roger Pen knows in what type of environment it is and whether it is lying on a table, held in hand or hanging around the neck. Manual overrule is always possible. Guaranteed ease of use and an optimal performance in all use cases.
- Advanced beamforming: Speech from the front has priority over speech from other directions and ambient noise.
- Zooming into soft voices in quiet and over distance: Allows to point to people over a larger distance and reduce the experienced listening distance by up to 75%, works only in fairly quiet surroundings.
- Wideband Bluetooth for mobile phone use: Hands-free phone calls in high definition audio (when supported by cell phone and network provider).
- Multiple microphone use in a network: Multiple Roger Pens and Roger Clip-On Mics work together in a network of 10 or more microphones. This is a real breakthrough for group discussions in noise.
- Silent Landing: The accelerometer in the Roger Pen detects the free fall and automatically mutes the microphones. The bang on the floor will not be audible to the listener. After landing, the Roger Pen activates the microphones instantly and operates normally.
- Roger Pen on the table: A weight built in on the opposite side of the microphones ensures that the Roger Pen rolls instantly into the right position, ensuring that the microphone openings are always on the top, ensuring the best performance.
- Enhanced dynamic range for music: When an audio source is connected to the Roger Pen, the dynamic range is enhanced, while maintaining the average loudness of the signal.
- Sound relax: Attenuates loud transient signals like clapping or knocking on the table.
- Body, wind and touch noise canceller: Attenuates noises generated by touching and rubbing of clothes as well as wind noise.

Digital Wireless Accessories

| Product | Product Image | Product Description | MRP ₹ |
|---|---|---|----------|
| Phonak CROS B-312 / B-13 Phonak CROS II-312 / II-13 Phonak CROS II-312 Custom Phonak CROS / CROS M H2O |  | CROS on the un-aidable ear and the hearing aid on the better ear. It can be used in either CROS / Bi CROS mode. | 35,000 |
| PilotOne II PilotOne |  | The easy-to-use remote control for hearing aids. | 16,000 |
| ComPilot Air II |  | This accessory combines wireless streaming and remote control in one device. ComPilot Air is without neck-loop and can be clipped on clothing within 40 cm from hearing aids. | 36,500 |
| ComPilot II ComPilot |  | This accessory combines wireless streaming and remote control in one device. ComPilot offers 8 hours of stereo sound streaming on one battery charge. | 31,500 |
| RemoteMic |  | The small and light Phonak RemoteMic is an easy solution for one-to-one conversations over distance, for example in a lecture. Clipped onto the speaker's clothing, it transmits the speaker's voice directly to both hearing aids via a ComPilot or ComPilot Air over a distance of up to 20 meters (66 ft). | 11,000 |
| EasyCall II EasyCall |  | A unique wireless accessory that connects any Bluetooth enabled cell or smartphone to Phonak wireless hearing aids. | 9,500 |
| TVLink II TVLink S |  | Phonak TVLink is the interface to TV and other audio sources supporting digital audio signals. It is used with Phonak ComPilot / ComPilot Air and turns any Phonak wireless hearing aid into a headset with a range of up to 30 meters (100 ft). | 8,000 |
| COMBO Offer: ComPilot + TVLink II ComPilot II + TVLink II |  | Compatible with Phonak wireless hearing aids. | 37,000 |
| COMBO Offer: ComPilot + RemoteMic |  | Compatible with Phonak wireless hearing aids. | 39,500 |
| COMBO Offer: ComPilot Air II + RemoteMic |  | Compatible with Phonak wireless hearing aids. | 44,500 |


- All Hearing Instruments carry Two Year Warranty (inclusive of 1st year International Warranty).
- Digital Wireless Accessories carry One Year Warranty.
- MRP of Bolero B-PR and Audéo B-R Chargers & Digital Wireless Accessories is inclusive of 6% VAT.
- Prices effective from 1st June 2017. This price list supersedes all previous price lists and is subject to change without any prior notice.

Sonova Hearing India Private Limited (formerly known as Phonak India Private Limited)

503 - 506, A & B Wing, Zillion, LBS Marg, Kurla (West), Mumbai - 400 070, Maharashtra

Phone: +91 22 2650 3601 | Fax: +91 22 2772 3704 | E - mail: phonakindia.ho@phonak.com

Web: www.phonak.com/in TOLL FREE NO : 1800 103 1202

 facebook.com/PhonakIndia